

Material Safety Data Sheet
 May be used to comply with
 OSHA's Hazard Communication Standard.
 29 CFR 1910.1200. Standard must be
 consulted for specific requirements.

U.S. Department of Labor
 Occupational Safety and Health Administration

MARCH 2007

IDENTITY: NEW-LUBE PART NUMBER NLB 1000	Synonyms: NU-LUBE, NEW LUBE, NU LUBE
Section I Manufacturer's Name: NEW LUBE, INC.	Emergency Telephone Number (253) 854-7779
Address (Number, Street, City, State, and ZIP Code)	Telephone Number for Information (800) 227-9876
633 Central Avenue South	Date Prepared 03/19/07
Kent, Wa. 98032	

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits	Recommended
The specific composition and component identities of this product are regarded by New Lube, Inc. to be a trade secret and their disclosure is withheld per CFR 1910:1200 (h). Medical personnel requiring this information are instructed to contact New Lube, Inc. directly with their request per CFR 1910:1200 (h). New Lube, Inc. certifies that all requirements of the Toxic Substance Control Act as amended have been complied with. All components of this formulation are listed in the TOSCA Inventory of Chemical Substance. Neither the product nor any of it's components is on the list of Hazardous Materials.				

Section III - Physical/Chemical Characteristics

Boiling Point - if product is liquid at 68° F @ 760mm Hg -	N/A	Specific Gravity (H ₂ O = 1) at 68° F -	~0.8
Vapor Pressure (mm Hg)	N/A	Melting Point	
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	
Solubility in Water	Dispersible		
Appearance and Odor	Green Solid, Petroleum odor.		

Section IV - Fire and Explosion Hazard Data

Flash Point (Method used)	300°F (open cup)	Flammable Limits	LEL	N/A	UEL	N/A
Extinguishing Media	Use water, fog, foam, dry chemical or CO ₂ ,					
Special Fire Fighting Procedures	Do not use direct steam of water. Product may float and can be reignited on surface.					
Unusual Fire and Explosion Hazards	None known					

NLB1000

Section V - Reactivity Data

Stability	Unstable		Conditions to avoid	Heat, sparks, open flame.
	Stable	X		

Incompatibility (Materials to Avoid) Strong Oxidants.

Hazardous Decomposition or Byproducts- Highly dependent on combustion conditions. CO2 and other organix compounds may form upon combustion.

Hazardous Polymerization	May Occur		Conditions to Avoid	Strong oxidants, heat, spark and open flames.
	Will Not Occur	X		

Section VI - Health Hazard Data

Route(s) of Entry: Inhalation? Yes Skin? Yes Ingestion? Yes

Health Hazards (Acute and Chronic) Skin: Prolonged and repeated skin contact may cause irritation or skin disorders such as dermatitis or oil acne.
Eyes: Contact with eyes may cause temporary irritation. Inhalation of vapors (generated at high temperatures only) or oil mist may casue a mild irritation of the mucous membranes of the upper respiratory tract.

Carcinogenicity: NTP? None IARC Monographs? N/A OSHA Regulated? N/A

Signs and Symptoms of Exposure None known

Medical Conditions
Generally Aggravated by Exposure Pre-existing skin and respiratory disorders may be aggravated by exposure.

Emergency and First Aid Procedures
On skin - Remove contaminated clothing and Wash thoroughly with soap and water water. If irritation occurs, get medical attention. In eyes - Flush with water for 15 minutes, lifting upper and lower eyelids occasionally . If irritation occurs, get medical attention.Inhaled- Remove victim to fresh air and provide foxygen if breathing is difficult. Get medical attention. Ingested- Do not induce vomiting. Get medical attention.

Section VII - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled Soak up with absorbent material, sand, or sawdust. Keep from sewers and waterways by diking. Dispose of recovered material and residue in compliance with all federal, state, and local regulations.

Waste Disposal Method. This product, if disposed of, is not considered a hazardous waste under current RCRA regulations.

Precautions to be Taken in Handling and Storage Keep container closed when not in use.Do not store near heat, open flames or strong oxidants.
Other Precautions Not required

Section VIII - Control Measures

Respiratory Protection : Use NIOSH approved chemical mist and organic vapor respirator as needed to prevent overexposure to mist or fumes.

Ventilation	Local Exhaust	Special N/A
	Mechanical (General)	Other N/A

Protective Gloves Use chemcally resistand gloves to avoid prolonged exposure.
Eye Protection Safety glasses or goggles recommended Other Protective Clothing or Equipment Not required

Work/Hygenic Practices Not required